



SIMPLY EFFICIENT



EN

CATALOGUE 2026

## **AUTOMATIC TRANSMISSION FLUID**

EQUIPMENT FOR AUTOMATIC GEARBOX MAINTENANCE



## WE MAKE SOLUTIONS EFFICIENT

### AUTOMATIC GEARBOX MAINTENANCE

The unique ATF station incorporates the most competent workflow settings carefully crafted by experienced ATF specialists in terms of hardware and software.

With the desire to offer a range of adapters as great as the ATF station, Ecotechnics created the widest range of ATF adapters available individually or in recommended sets.

The ATF database contains more than 90% of all vehicle models manufactured from 2000 onwards. You can reach the database directly on the station, on the online platform or wherever you are with the ATF MOBILE APP.

#### **Reason why of gearbox maintenance**

Sophisticated technologies of modern gearboxes require precise balance of lubricating and hydraulic fluids, pressures and temperatures as well as compliance with recommended maintenance procedures including periodical filter replacement, cleaning and oil replacement.

#### **Opportunity for the workshop**

- Most vehicles have automatic transmission.  
Maintenance is recommended by manufacturers.
- Growing business with ATF service and consumables in the workshop
- Competent customer connection and care
- Differentiation from competitors

#### **Opportunity for workshop's customers**

- Best gearbox efficiency
- Prevent and avoid expensive repair
- Decrease energy consumption and keep lower emissions
- Good and long-lasting driver experience
- Maintain vehicle's value
- Respect manufacturer's recommendation



# ATF MOOVETECH

## UNIQUE, EFFORTLESS, COMPREHENSIVE

### UNIQUE

Our station stands out as the ultimate choice in the market. By integrating automatic workflows, software-guided procedures, and comprehensive databank. Our dedication to robustness and resistance ensures minimal maintenance making our station truly exceptional.

### EFFORTLESS

With its automatic and intuitive controls, it incorporates the most competent workflow settings, carefully crafted by experienced specialists. Users are seamlessly guided through all settings, ensuring an effortless and efficient experience.

### COMPREHENSIVE

The Database contains more than 20.000 vehicles. Encompassing more than 90% of all vehicle models manufactured from 2000 onwards. With immediately available adapters, as well as those obtainable on request, we ensure a comprehensive coverage for all connections.



## EQUIPMENT FOR AUTOMATIC GEARBOX MAINTENANCE



### Smart-Drain system

This is the most comfortable, fast, safe and clean method to handle the used fluid. The recovered oil dripped from the pan is automatically weighed. The height of station's drain pan is adjustable. The asymmetrical shape adapts it to many different gearboxes.

### 2 large fine filters

Protect all internal components of the station, avoid the need of maintenance with high filtration capacity preventive filtration of the gearbox circuit during the cleaning phase. For both directions (1 and 2) a dedicated filter.

### High performing Manifold

Strategic placement of compact valves and implementation of anti-pressure drop measure ensures the best performance. With Generous diameter and smooth passages for oil flow to prevent pressure drops resulting in increased speed and constant oil flow. This is particularly advantageous for large engine' d vehicles, sports, vintage and American cars.

### Multi-brand new oil tank

New oil tank designed to easily accommodate different sizes and multi-brands.

### Discharge used oil container by compressed air

Clean, Easy, Fast: no pump necessary, no maintenance or repair. Using highly professional emptying operations we have eliminated any need to remove of the used oil tank making it cleaner, faster, and easier.

### Third scale for cleaner

Highest accuracy and precision compared to other manufactures. Using a scale avoids the risk of the pump sucking air while injecting additive and removes the constant need to purge the pump.

### High quality connectors

Anti-splash, anti-flap, easy to handle

### Software: automatic and intuitive

Continuous total control software. During the whole process of cleaning, oil replacement and substitution of pan and/or filter, the software workflow never requires running engine in critical moments. The navigation is intuitive. The user is perfectly guided. Most suitable parameters are recommended but not mandatory and the user is always free to define preferred service settings.

### Database

ATF-Service24 is the access platform for the on-line ATF Database to help you get the most out of your machine. The data base is constantly updated and provides information on the connection, the suitable adapter, procedures, filters, levels, components and safety information. You can reach the uploaded database directly on the ATF station, on the online platform or, wherever you are, with the ATF MOBILE APP.

### ATF mobile app

ATF-connection wherever you are! Be always informed on real time status of your ATF station, keep research for suitable ATF adapters smart and keep in touch with the know-how of our ATF specialists.



## ATF MOOVETECH - COMPLETE TECHNICAL SHEET

<b>Display</b>	Touchscreen 7"
<b>Connectivity Wi-Fi</b>	Standard
<b>Mobile App (Ios, Android)</b>	Standard
<b>Software update</b>	USB Flash Drive or Wi-Fi
<b>Database</b>	Local, on-line platform and Mobile App
<b>Detection of flow direction</b>	Automatic
<b>Used oil container</b>	Fixed steel container, 25 liters
<b>New oil container</b>	Removable plastic canister, 20 liters
<b>New and used oil scale resolution</b>	5 gr, 2 load cell
<b>Additive container</b>	2 liters
<b>Additive scale resolution</b>	5 gr
<b>Oil filtering</b>	2x ultra-fine filters
<b>Pump</b>	High flow rate pump (up to 9 l/min)
<b>Discharge used oil</b>	Easy emptying with compressed air
<b>Service hoses</b>	2 x 3 meters
<b>Thermal printer</b>	Standard
<b>Languages</b>	27
<b>Voltage</b>	220-240 V, 50/60 Hz
<b>Power cord cable</b>	Locking plug as standard
<b>Working ambient temperature range</b>	5 - 55 °C / 10-95% humidity
<b>Dimensions</b>	72 x 73 x 108 cm - 80 kg
<b>Dimensions with packaging</b>	76 x 70 x 137 cm - 95 kg

## FULL RANGE ATF ADAPTERS

With the desire to offer a range of adapters as great and unique as the ATF machine, we created the most focused range of ATF adapters to best suit the European vehicle parc.

The adapter range, considered the widest available, is constantly updated with attentive selection to offer efficient solutions on popular models or new tricky solutions on specific models.

Further to individual availability of all adapters for replacement and beyond adapter kits, specific adapter selections have been created to match workshops specific vehicle mix and volume. Adapter kits support workshops in their competent purchase and keep marketability of the adapter range easier.

Adapters of ATF BASE KIT and ATF ADVANCED KIT are delivered in the specific suitcase. For practical use and storage in the workshop of all other suggested ranges (Professional 1 or 2), is available also the Storage Adapter Suitcase. Different sizes of compartments suits to the whole range of adapters.

ADAPTER'S RANGE

	<b>DECKKIT.ATF - ATF BASE KIT ADAPTERS (21 adapters)</b> A This basis kit covers most popular vehicles and is essential to start. The range is a perfect ATF starting point and provides a great package for the most popular automatic vehicles in Europe requiring ATF service.
	<b>DECKKIT.ATF.ADV - ATF ADVANCED KIT ADAPTERS (18 adapters)</b> Advanced kit to compliment the coverage of the basis kit. Enhancing the core coverage for vehicle routinely presented into all brand aftermarket workshops.
	<b>SUGGESTION PROFESSIONAL 1</b> Recommended adapter selection for more specialistic ATF service. Focusing on less common northern European vehicles focused on central north manufacturers as VW, Mercedes, BMW and Volvo vehicle applications
	<b>SUGGESTION PROFESSIONAL 2</b> Recommended adapter selection for more specialistic ATF service. Focusing on less common European manufacturers Renault, PSA group and FCA group vehicle applications.

## DECKLEVELKIT-ATF

The kit contains 20 connectors (from ATF101 to ATF120) to facilitate the top-up for correct oil level on most popular European vehicles. Unless the car is connected during an ATF cleaning and oil replacement service, this control can obviously be performed directly with station's service hoses. But to check the level after a test drive or in any other circumstance by disconnected gearbox, these connectors enable quick and easy top-up.

PART NUMBER

<b>DECKY1ATF0000000</b>	ATF MOOVETECH
<b>DECKLEVELKIT-ATF</b>	OIL LEVEL CONNECTORS
<b>DECKDB.ATF-LICENSE</b>	LOCAL DATABASE UPDATE + WEB LICENSE
<b>DECKCNT0031</b>	NEW CANISTER 20 liters
<b>DECKFLT.ATF.1000</b>	2 x FILTER CARTRIDGE
<b>DECKKIT.ATF</b>	ATF BASE KIT ADAPTERS
<b>DECKKIT.ATF.ADV</b>	ATF ADVANCED KIT ADAPTERS
<b>DECKATF.CASE</b>	STORAGE SUITCASE FOR ADAPTERS
















DECKLEVELKIT-ATF

DECKKIT.ATF



DECKKIT.ATF.ADV

DECKATF.CASE

	<b>DECKRAC8201</b>	A1 - VARIOUS ZF - JAGUAR, MERCEDES-BENZ, MITSUBISHI & SSANGYONG
	<b>DECKRAC8202</b>	A2 - VARIOUS ZF - JAGUAR, MERCEDES-BENZ, SSANGYONG
	<b>DECKRAC8203</b>	A3 - AISIN WARNER - JEEP, FIAT, ALFA ROMEO, OPEL, CITROEN
	<b>DECKRAC8204</b>	A4 - DUMMY FILTER DSG AUDI, VOLKSWAGEN, SKODA
	<b>DECKRAC8205</b>	A5 - VARIOUS AUDI, VOLKSWAGEN, JEEP
	<b>DECKRAC8206</b>	A6 - VARIOUS - AUDI, PORSCHE, OPEL, SUBARU, MAZDA, CITROEN, RENAULT, ALFA ROMEO & LANCIA
	<b>DECKRAC8207</b>	A7 - VARIOUS AUDI
	<b>DECKRAC8208</b>	A8 - AUDI, MERCEDES-BENZ, MITSUBISHI
	<b>DECKRAC8209</b>	A9 - MANY ZF - MERCEDES-BENZ, BMW, RENAULT, SAAB, FORD, RANGE-ROVER, JAGUAR
	<b>DECKRAC8210</b>	A10 - VARIOUS VOLVO
	<b>DECKRAC8211</b>	A11 - GENERAL MOTORS, OPEL
	<b>DECKRAC8212</b>	A12 - JEEP, DODGE, OPEL, GM 4 SPEED
	<b>DECKRAC8213</b>	A13 - JEEP 5 SPEED



DECKDB.ATF-LICENSE






DECKCNT0031



DECKFLT.ATF.1000

FULL RANGE ATF ADAPTERS

	<b>DECKRAC8214</b>	A14 - SET OF 4 UNIVERSAL RUBBER HOSES (With Internal Diameters of 8,10,13,15mm)
	<b>DECKRAC8215</b>	A15 - BMW, VOLVO, AUDI, MERCEDES-BENZ, RENAULT, SAAB, FORD & JLR
	<b>DECKRAC8216</b>	A16 - JAGUAR, FORD, MAZDA & MULTIPLE LAND ROVERS
	<b>DECKRAC8217</b>	A17 - AUTOMATIC GEARBOX OIL CONNECTOR FOR FILLING FROM THE BOTTOM
	<b>DECKRAC8218</b>	A18 - STEPPED FITTING FOR GENERAL RUBBER HOSE CONNECTIONS IncHYUNDAI, KIA, TOYOTA, LEXUS, MITSUBISHI, ISUZU & LAND ROVER
	<b>DECKRAC8219</b>	A19 - VOLVO - BYPASS OF THE THERMOSTAT
	<b>DECKRAC8220</b>	A20 - FIAT, JEEP, LAND-ROVER
	<b>DECKRAC8221</b>	A21 - TOYOTA, SUZUKI, MAZDA
	<b>DECKRAC8222</b>	A22 - VARIOUS AISIN WARNER - BMW, MINI, VOLVO
	<b>DECKRAC8223</b>	A23 - POWERSHIFT - FORD, RENAULT, PEUGEOT, VOLVO
	<b>DECKRAC8224</b>	A24 - ZF8HP -AUDI, BMW, JAGUAR, LAND-ROVER, ALFA ROMEO, JEEP, IVECO
	<b>DECKRAC8225</b>	A25 - CITROEN, PEUGEOT
	<b>DECKRAC8226</b>	A26 - CITROEN, PEUGEOT, VOLKSWAGEN, FIAT DUCATO
	<b>DECKRAC8227</b>	A27 - DIPSTICK - FORD, JEEP, DODGE
	<b>DECKRAC8228</b>	A28 -VARIOUS GM & OPEL
	<b>DECKRAC8229</b>	A29 -AISIN & ZF -AUDI, VOLKSWAGEN, PORSCHE, LEXUS, MITSUBISHI
	<b>DECKRAC8230</b>	A30 - MERCEDES-BENZ GLK, JEEP, MITSUBISHI, GM, SUZUKI, TOYOTA
	<b>DECKRAC8231</b>	A31 - JEEP, FIAT, CHRYSLER, MERCEDES-BENZ, SUBARU
	<b>DECKRAC8232</b>	A32 - 5 SPEED ZF - MERCEDES-BENZ CLK, C, AMG
	<b>DECKRAC8233</b>	A33 - BMW, JAGUAR
	<b>DECKRAC8234</b>	A34 - GM, FIAT, FORD, JEEP, CHRYSLER VOYAGER, SAAB, MERCEDES ML
	<b>DECKRAC8235</b>	A35 - 4 SPEED -FIAT, CITROEN, PEUGEOT, RENAULT
	<b>DECKRAC8236</b>	A36 - 4 SPEED - MITSUBISHI PAJERO & SHOGUN
	<b>DECKRAC8237</b>	A37 - VARIOUS RENAULT, MITSUBISHI, NISSAN
	<b>DECKRAC8238</b>	A38 - VARIOUS MERCEDES-BENZ, RENAULT - DSG
	<b>DECKRAC8239</b>	A39 - AISIN WARNER - PEUGEOT, CITROEN
	<b>DECKRAC8240</b>	A40 - BMW X1
	<b>DECKRAC8241</b>	A41 - AISIN WARNER - PEUGEOT
	<b>DECKRAC8242</b>	A42 - 6 SPEED - MAZDA
	<b>DECKRAC8243</b>	A43 - AISIN WARNER - FIAT- CITROEN - PEUGEOT

	<b>DECKRAC8244</b>	A44 - PEUGEOT - BMW - MINI
	<b>DECKRAC8245</b>	A45 - AISIN WARNER - PEUGEOT-VOLVO
	<b>DECKRAC8247</b>	A47 - FITTING EAT8 PEUGEOT, CITROEN
	<b>DECKRAC8248</b>	A48 - AISIN WARNER 8 SPEED - GA8F22AW BMW
	<b>DECKRAC8249</b>	A49 - AISIN WARNER 8 SPEED - GA8F22AW VOLVO
	<b>DECKRAC8250</b>	A50 - BMW 8 speed (D18 mm) (ZF) - Popular on larger 'X' Range Vehicles
	<b>DECKRAC8251</b>	A51 - VOLKSWAGEN, AUDI, MITSUBISHI (ZF)
	<b>DECKRAC8252</b>	A52 - AUDI (Q7/A8), BMW (ZF / CVT)
	<b>DECKRAC8253</b>	A53 - QUICK COUPLER 90° (2 pcs) - General applications, for use in limited spaces
	<b>DECKRAC8254</b>	A54 - VOLVO (AISIN WARNER)
	<b>DECKRAC8255</b>	A55 - MERCEDES, JEEP, FIAT (ZF 9 Gtronic)
	<b>DECKRAC8256</b>	A56 - AUDI (CVT)
	<b>DECKRAC8257</b>	A57 - AUDI A8 (ZF)
	<b>DECKRAC8258</b>	A58 - AUDI (DSG 7-Speed)
	<b>DECKRAC8259</b>	A59 - LAND ROVER-VOLVO (ZF)
	<b>DECKRAC8260</b>	A60 - BMW 8 SPEED ZF8HP
	<b>DECKRAC8261</b>	A61 - 722.6 Mercedes
	<b>DECKRAC8262</b>	A62 - GENERAL USE HOSES Ø11,8 mm, IVECO, FIAT, LANCIA, OPEL
	<b>DECKRAC8263</b>	A63 - GENERAL USE HOSES Ø12,6 mm, MERCEDES, GRAN CHEROKEE, MASERATI, ALFA ROMEO
	<b>DECKRAC8264</b>	A64 - AUDI - For OAW Type Transmissions
	<b>DECKRAC8265</b>	A65 - BMW X1/X2, MINI, PEUGEOT 508 (AISIN WARNER)
	<b>DECKRAC8266</b>	A66 - RENAULT
	<b>DECKRAC8267</b>	A67 - OIL LEVEL DIPSTICK FOR MERCEDES BENZ, CHRYSLER
	<b>DECKRAC8268</b>	A68 - JEEP FREEMONT
	<b>DECKRAC8269</b>	A69 - RENAULT LAGUNA III, ESPACE IV
	<b>DECKRAC8270</b>	A70 - NISSAN JUKE (2011 - 2014)
	<b>DECKRAC8271</b>	A71 - NISSAN JUKE (2014 - 2019)
	<b>DECKRAC8272</b>	A72 - AUDI, PORSCHE, VOLKSWAGEN (7-Speed)
	<b>DECKRAC8273</b>	A73 - TOYOTA COROLLA K311-K313
	<b>DECKRAC8274</b>	A74 - VOLVO

	<b>DECKRAC8275</b>	A75 - NISSAN RENAULT
	<b>DECKRAC8276</b>	A76 - BMW X2, MINI, LAND ROVER, CAMBI GA8G45W
	<b>DECKRAC8277</b>	A77 - MINI, SUZUKI (90 mm) - VW, CITROEN, MINI, RENAULT, LANCIA (110 mm) - PEUGEOT & CITROEN (130 mm)
	<b>DECKRAC8278</b>	A78 - VW GEARBOX QPA (VW JETT
	<b>DECKRAC8279</b>	A79 - MERCEDES GEARBOX 725.1 (MERCEDES CLASSE C, CLASSE GLE)
	<b>DECKRAC8280</b>	A80 - VOLVO GEARBOX AISIN TG-81SD (S60, S90 V60, XC60, XC90, V90)
	<b>DECKRAC8281</b>	A81 - FORD GEARBOX 10R80 (FORD TRANSIT, F150 RAPTOR, MUSTANG, RANGER)
	<b>DECKRAC8282</b>	A82 - CHEVROLET GEARBOX GM 8L45 (CAMARO)
	<b>DECKRAC8283</b>	A83 - BMW XDRIVE HYBRID ZF8HP
	<b>DECKRAC8284</b>	A84 - FORD GEARBOX AISIN TF-81SC (MONDEO PLUG-IN HYBRID)
	<b>DECKRAC8285</b>	A85 - JAGUAR-LANDROVER GEARBOX ZF 8HP70 (F-PACE, RANGE ROVER SPORT)
	<b>DECKRAC8286</b>	A86 - SSANGYONG GEARBOX DSI M11 (KORANDO)
	<b>DECKRAC8287</b>	A87 - ALFAROMEO GEARBOX ZF8HP75, ZF8HP50 (STELVIO, GIULIA)
	<b>DECKRAC8288</b>	A88 - MERCEDES 9G TRONIC, THERMOSTAT, 725.X
	<b>DECKRAC8289</b>	A89 - MERCEDES 8G - DCT 724.1 (W118, W177, W247)
	<b>DECKRAC8290</b>	A90 - MERCEDES 8G TRONIC
	<b>DECKRAC8291</b>	A91 - ZF9HP HONDA
	<b>DECKRAC8292</b>	A92 - MERCEDES 7 SPEED
	<b>DECKRAC8293</b>	A93 - PEUGEOT HYBRID 8 SPEED
	<b>DECKRAC8294</b>	A94 - LAND ROVER 8 SPEED
	<b>DECKRAC8295</b>	A95 - NISSAN GTR
	<b>DECKRAC8296</b>	A96 - VOLVO - LINC&CO
	<b>DECKRAC8297</b>	A97 - VOLVO MILDHYBRID
	<b>DECKRAC8298</b>	A98 - MERCEDES HYBRID 725.X

## CONNECTORS FOR OIL LEVEL

	<b>DECKRAC9201</b>	ATF-101 FITTING FOR FORD 1/8-27 NPT
	<b>DECKRAC9202</b>	ATF-102 FITTING FOR HONDA NISSAN
	<b>DECKRAC9203</b>	ATF-103 FITTING FOR AUDI SKODA
	<b>DECKRAC9204</b>	ATF-104 FITTING FOR AUDI PORSCHE
	<b>DECKRAC9205</b>	ATF-105 FITTING FOR AUDI MINI COOPER M10X1.0
	<b>DECKRAC9206</b>	ATF-106 FITTING FOR AUDI DSG M24X1,5
	<b>DECKRAC9207</b>	ATF-107 FITTING FOR AUDI CVT M22X1,5
	<b>DECKRAC9208</b>	ATF-108 FITTING FOR SKODA M18X1,5
	<b>DECKRAC9209</b>	ATF-109 FITTING FOR MERCEDES M12X1,5
	<b>DECKRAC9210</b>	ATF-110 FITTING FOR AUDI SKODA M30X1,5
	<b>DECKRAC9211</b>	ATF-111 UNIVERSAL FLEXIBLE 300 mm
	<b>DECKRAC9212</b>	ATF-112 FITTING 5/16 -24 UNF
	<b>DECKRAC9213</b>	ATF-113 FITTING FOR TOYOTA LEXUS M18X1,5
	<b>DECKRAC9214</b>	ATF-114 FITTING FOR NISSAN INFINITY M18X1,0
	<b>DECKRAC9215</b>	ATF-115 FITTING FOR VW PASSAT
	<b>DECKRAC9216</b>	ATF-116 FITTING FOR NISSAN JUKE M12X1,25
	<b>DECKRAC9217</b>	ATF-117 FITTING FOR MINI COOPER MITSUBISHI M14X1,5
	<b>DECKRAC9218</b>	ATF-118 FITTING FOR NISSAN M10X1,75
	<b>DECKRAC9219</b>	ATF-119 FITTING FOR GM M12X1,75
	<b>DECKRAC9220</b>	ATF-120 FITTING FOR BENZ 725-9G
	<b>DECKRAC9221</b>	ATF-121 FITTING FOR AUDI VW DSG
<i>From A101 to A120 included in LEVELKIT-ATF</i>		

Please visit the ATF MOOVETECH presentation on-line to find constantly updated range as most recent new adapters or connectors.

Visit [www.ecotechnics.com](http://www.ecotechnics.com) on ATF MOOVETECH page or read following QR code.





SIMPLY EFFICIENT

Snap-on Climate Solutions S.r.l.  
a socio unico

Registered office address  
Via Provinciale Carpi, 33  
42015 Correggio (RE)

Headquarters address  
Via L. Longo, 21/23  
50019 Sesto Fiorentino – Firenze – Italy

Contact  
Tel. +39 055 4207372  
Fax +39 055 4217972  
Sestoflorentino.info@snapon.com

**[www.ecotechnics.com](http://www.ecotechnics.com)**



Information regarding dimensions, data, models and colours is not binding. Snap-On Climate Solutions srl. Reserves the right to make any modifications deemed necessary. The products are not covered by any other express or implicit warranties. Images shown may include higher specification accessories.